

25X1A9a

## CLASSIFIED MESSAGE

## ROUTING

ORIG: [REDACTED]  
 UNIT: [REDACTED]  
 EXT: 7509  
 DATE: 20 DEC 67

Approved For Release 1999/09/07 : CIA-RDP71B00263R000200310009-5

1	D/M/OSA	9
2	D/M/OSA	10
3	D/O/OSA	11
4	CIC/O/OSA	12
5		13
6		14
7		15
8		16
DEFERRED		
PRIORITY		
INITIAL		
ROUTINE		
OPERATIONAL		
IMMEDIATE		
INITIAL		

TO :

FROM:

CONF:

INFO :

04905

TO

SECRET

INFO25X1A2g

CITE

5652

25X1A2g

IMMEDIATE

25X1A2g

IDEALIST OPERA AVION

25X1A2g

TEST SCHEDULED FOR 21 AND 22 DECEMBER 1967

25X1A2g

REF: 5225  
5463

1. THE PURPOSE OF THESE TESTS IS TO CHECK-OUT THE RECENT  
 EW MODS TO ARTICLE 385.

2. EQUIPMENT TO BE INSTALLED SHALL INCLUDE SYSTEMS 6A,  
 9B, 12C, 13C, 21, O/S MK IIX, MC RECORDERS (LEFT AND RIGHT CHECKS)  
 AND X-BAND BEACON.

3. SYSTEMS OPERATION - ROUTE AS PER REF A.

A. PRIOR TO TAKE-OFF, SYSTEMS 9B AND 13C WILL BE  
 SWITCHED TO ~~STDBY~~ "STDBY". ALL OTHER SYSTEMS "ON".

25X1A2g

B. LEG ONE (PT A TO PT B), 13C WILL BE IN "STDBY"  
 UNTIL PILOT INFORMED BY [REDACTED] TO GO TO "REC" WHICH  
 WILL OCCUR AT CLOSEST POINT OF APPROACH.

C. LEG TWO THRU FIVE. ALL SYSTEMS SAME AS AT  
 PT B.

COORDINATING OFFICERS

RELEASING OFFICER



GROUP 1  
 Excluded from automatic  
 downgrading and  
 declassification

AUTHENTICATING OFFICER

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED.

Copy No.

Approved For Release 1999/09/07 : CIA-RDP71B00263R000200310009-5

**CLASSIFIED MESSAGE**

ORIG:  
UNIT:  
EXT:  
DATE:

Approved For Release 1999/09/07 : CIA-RDP71B00263R000200310009-5

~~SECRET~~

**ROUTING**

2	10
3	11
4	12
5	13
6	14
7	15
8	16

TO :

FROM:

CONF: **PAGE 2**

INFO:

ACTION REQUIRED	DEFERRED	PRIORITY	INITIALS
	ROUTINE	OPERATIONAL IMMEDIATE	INITIALS

04905

TO

INFO

CITE

5652

D. AT PT J, 13C SHOULD BE SWITCHED TO STDBY.

ALL OTHER SYSTEMS REMAIN ON UNTIL DESCENT BELOW  
30,000 FEET.

A 5325 IFF MAY REMAIN "ON" THROUGHOUT TEST.  
B 4016 5423

25X1A2g 4. PILOT WILL ESTABLISH A TIME CHECK AND APPRISE  
[REDACTED] OF ALL SYSTEMS STATUS PRIOR TO REACHING PT A. PILOT  
WILL ALSO KEEP [REDACTED] INFORMED OF SYSTEMS OPERATION DURING TEST  
PERIOD. REQUEST PILOT PAY PARTICULAR ATTENTION TO 12C STROBE  
AND O/S DISPLAY AND REPORT SAME AS ACCURATELY AS POSSIBLE.

5. INTERCOM SWITCH WILL BE IN "RECORD ALL" POSITION.

6. DATA REQUIRED:

A. RECORDING OF PILOT DEBRIEFING

B. MC RECORDER TAPES

C. BW TAPE


25X1A9a D. DRAWINGS OF STROBE POSITIONS, IF AVAILABLE.

7. HQS REP, [REDACTED] WILL BE AVAILABLE FOR ASSISTANCE  
AND TO PREPARE INITIAL REPORTS OF TESTS.

COORDINATING OFFICERS

RELEASING OFFICER

~~SECRET~~



AUTHENTICATING OFFICER

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED

Approved For Release 1999/09/07 : CIA-RDP71B00263R000200310009-5

CLASSIFIED MESSAGE

ORIG: Approved For Release 1999/09/07 : CIA-RDP71B00263R000200310009-5  
 UNIT: ~~SECRET~~  
 EXT:   
 DATE:

ROUTING	
2	6
3	10
4	11
5	12
6	13
7	14
8	15
9	16

DEFERRED	PRIORITY	INITIALS
ROUTINE	OPERATIONAL IMMEDIATE	INITIALS

TO :  
 FROM: PAGE 3  
 CONF:  
 INFO:

04905

TO 25X1A2g INFO CITE

END OF MESSAGE



COORD: ASD/OEL GF (telecom)  
 OXC/O/OSA WDA  
 IDEA/O/OSA RTR

25X1A9a



D/M/OSA  
 RELEASING OFFICER

COORDINATING OFFICERS



AUTHENTICATING OFFICER